

# MERRY FISHER 1295



---

## SUMMARY

FLY SPECIFICATIONS

FLY KEY POINTS

FLY EXTERIOR

COUPE SPECIFICATIONS

COUPÉ KEY POINTS

EXTERIOR

INTERIOR

ATMOSPHERE

ELECTRONIC PACKS

TECHNICAL INFORMATION

---

## Merry Fisher 1295 FLY



<b>Longueur hors tout / LOA</b>	12,56 m / 41'2"	<b>Capacité eaux noires / Black water capacity</b>	120 L / 32 USgal
<b>Longueur de coque / Hull length</b>	11,92 m / 39'1"	<b>Capacité de froid / Fridge capacity</b>	Max option : 164 L / Min standard :130 L
<b>Largeur maxi / Beam</b>	3,80 m / 12'5"		Max option : 43,3 USgal /
<b>Tirant d'air (avec /sans feux de nav) / air draft (w/wo navigation light)</b>	min : 3,88 m / max : 4,97 min: 12'8" / max : 16'3"	<b>Cabines / Cabins</b>	Min standard : 34,34 USgal
<b>Tirant d'eau coque / Hull draft</b>	0,77 m / 2'6"	<b>Couchages / Berths</b>	3
<b>Tirant d'eau maxi / Draft max</b>	1,13 m / 3'8"	<b>Salles de bain / Heads</b>	6 / 8
<b>Déplacement lège/ Displacement</b>	9 413 kg / 20 752 lbs	<b>Motorisation hors-bord max / Outboard engines max</b>	2
<b>Capacité de carburant / Fuel capacity</b>	1200 L / 317 USgal	<b>Designer &amp; Architecte / Designer &amp; Architect</b>	3 x 300 CV / HP (3 x 221 Kw) + Joystick
<b>Capacité eau / Fresh water capacity</b>	400 L / 105,7 USgal	<b>Catégorie CE / CE certification</b>	Centkowski & Denert Design / Jeanneau Design
			B 10 / C 12

## MERRY FISHER 1295 Fly : THE JOY OF CRUISING

This new Merry Fisher 1295 Fly features multiple living spaces especially designed for relaxation with family and friends. Plenty of time for swimming and moments with your feet dangling in the water from the aft cockpit, with the electrically controlled starboard-side terrace. Port side, a large side door facilitates the access for everyone on board.

With large, bright windows and a panoramic view over the water, life is sweet aboard this flagship, enhanced by a refined, contemporary selection of materials. Take your place at the helm, and take advantage of the very latest technologies, found aboard the largest boats, for easy handling. The starboard-side door will allow easy access and facilitate maneuvers, for cruising with complete peace of mind. Cast off, and take up residence in one of three comfortable cabins, for a peaceful rest on the water at each stop along your cruise !

FLY EXTERIOR

MERRY FISHER  
1295 FLY




- New Merry Fisher identity :**
- New shape of hull windows
  - Flybridge outboard: a real motoryacht !


## FLY EXTERIOR

- 1 Large flybridge
- 2 Large glass windows surfaces : a lot of brightness
- 3 Electric terrace (standard)
- 4 Large hull windows (Merry Fisher identity)
- 5 XXL lateral door

MERRY FISHER  
1295 FLY



- 1 U-shaped saloon
- 2 Flybridge galley option (sink + grill):  
in lieu of the standard seat
- 3 20L drawer fridge (optional)
- 4 Flybridge table (optional)



- 1 U-shaped saloon
- 2 Copilot bench with folding backrest, convertible into chaise-longue
- 3 Front sunbed cushions (optional)



FLYBRIDGE

MERRY FISHER  
1295 FLY





Cockpit with full instrumentation for engine and accessories  
(same as inside instrumentation)

COUPE EXTERIOR

MERRY FISHER  
1295

**New Merry Fisher  
COUPE:**

A true motor yacht



# SPECIFICATIONS

## MERRY FISHER 1295 COUPE



**Longueur hors tout / LOA**

12,56 m / 41'2"

**Longueur de coque / Hull length**

11,92 m / 39'1"

**Largeur maxi / Beam**

3,80 m / 12'5"

**Tirant d'air (avec /sans feux de nav) /  
air draft (w/wo navigation light)**

min : 3,39 m / max : 4,30  
min: 11'1" / max : 14'1"

**Tirant d'eau coque / Hull draft**

0,9 m / 2'11"

**Tirant d'eau maxi / Draft max**

1,11 m / 3'8"

**Déplacement lège/ Displacement**

9 136 kg / 20 136 lbs

**Capacité de carburant / Fuel capacity**

1200 L / 317 USgal

**Capacité eau / Fresh water capacity**

400 L / 105,7 USgal

**Capacité eaux noires / Black water  
capacity**

120 L / 32 USgal

**Capacité de froid / Fridge capacity**

Max option : 164 L / Min standard :130 L  
Max option : 43,3 USgal /  
Min standard : 34,34 USgal

**Cabines / Cabins**

3

**Couchages / Berths**

6 / 8

**Salles de bain / Heads**

2

**Motorisation hors-bord max /  
Outboard engines max**

3 x 300 CV / HP (3 x 221 Kw) + Joystick

**Designer & Architecte / Designer &  
Architect**

Centkowski & Denert Design / Jeanneau  
Design

**Catégorie CE / CE certification**

B 10 / C 12

# EXTERIOR

# MERRY FISHER 1295



# EXTERIOR

# MERRY FISHER 1295



## MERRY FISHER 1295 COUPE: THE JOY OF CRUISING

After the successful launch of the Merry Fisher 1295 Flybridge in 2022, Jeanneau announces the launch of the flagship model in a Coupe version.

The new Merry Fisher 1295 Coupe confirms further movement of the brand upmarket. This model has been long-awaited in numerous regions of the world, where it is less sunny or with clearance constraints for cruising. She features all the key strengths of the line: versatility, modular design, space, and clever layouts.

This new model joins the Merry Fisher Weekender line, which ranges from a large outboard cruiser with flybridge to an express version.

### Family Cruising

Staying true to its lineage, the Merry Fisher 1295 Coupe benefits from additional comfort, enabling families to extend their stay on the water and experience superb moments of escape year-round, in any weather.

The new comfortable and inviting saloon is bathed in natural light from two opening glass hatches on the wheelhouse roof, providing additional ventilation.

## MERRY FISHER 1295 COUPE: THE JOY OF CRUISING

With her three cabins and two head compartments, she features all the elements that make the Merry Fisher 1295 a success: a panoramic view over the water, large, bright windows in the hull, a forward owner's cabin with separate shower, and two guest cabins, either with twin berths or with one large berth.

The U-shaped galley, well-equipped and with ample storage, opens onto the cockpit and exterior living areas, creating an inviting gathering spot. A swivelling pilot seat allows for easy interaction with guests in the saloon, while a cozy sofa, just like at home, encourages shared moments with family and friends.

Attention to detail has been a top priority. The interior fit and finish have been carefully crafted to offer a remarkable quality of life on board, with plush sofa seating for refinement and comfort. A new table with two folding leaves and an electrically adjustable height adds convenience and functionality.

This boat checks all the boxes for enjoying a fun family cruise, with exceptional distinct living areas that ensure everyone's privacy during multi-day outings!

## Yachting Style

Our product development team goal was to make handling a 40-foot boat exceptionally easy, putting all the controls all at your fingertips for enhanced accessibility and manoeuvrability.

Taking inspiration from larger yachts, this new model is equipped with options that rival the larger models: joystick, gyroscopic stabiliser, air conditioning, generator, and more.

Her stable hull enables quick planing, for minimal bow rise and level cruising and enjoying comfortable cruises even at reduced speed.

With a high-performance, reliable outboard engines delivering triple 300 HP, the Merry Fisher 1295 Coupe is a safe, secure boat for moments of pure happiness on the water.

## Guaranteed Escape from the Everyday

On deck, the new Merry Fisher 1295 Coupe is entirely turned toward the sea.

The electrically controlled side terrace opens to starboard, expanding the spacious aft cockpit, ideal for enjoying a generous life onboard! Portside, the side door facilitates access on board.

Forward, it's time to relax, with the three integrated sun loungers in the cockpit for basking in the sun or unwinding under a large sunshade.


Facing seating and the option to add a table create an inviting atmosphere in this area, accessible in complete safety from the aft cockpit and the helm station via the large starboard side door.

**This flagship will win over all those who enjoy cruising with family along the coast, focusing on comfort and relaxation, both inside and out! It offers a new experience for everyone on board: feeling right at home while surrounded by breathtaking scenery.**

## COUPE EXTERIOR


MERRY FISHER  
1295

- ① 2 sliding wheelhouse hatches (standard)
- ② Paddle storage (optional)
- ③ 2 solar panels (optional)
- ④ Large glazed areas: maximum light
- ⑤ Large hull window (new identity)
- ⑥ Electric terrace (standard)



Clear aft cockpit area:

- 1 No fly ladder clutter
- 2 Use of the full width of the patio door
- 3 Easy circulation in the cockpit
- 4 Full opening of the cockpit on the water with the lateral terrace




1295 FLY & COUPE



MERRY FISHER  
1295







**NEW HULL OPTIMIZED FOR OUTBOARDS AND FLAT CRUISING AT INTERMEDIATE SPEEDS,  
IN THE SAME SPIRIT AS THE HULL DEVELOPED FOR THE MERRY FISHER 1095.**

# EXTERIOR

MERRY FISHER  
1295



- 1 Side boarding door (on portside)
- 2 3-leaf bay-window opening to port or starboard
- 3 Swimming platforms (standard)
- 4 Hydraulic gangway (optional)



**SAFE MANEUVERS & ACCESS ON BOARD**



Portside boarding door



Starboard lateral door


① Large aft cockpit

② Large front cockpit/saloon and sunpad

➔ Excellent circulation on board:  
Main sidedeck on starboard  
Secondary sidedeck on portside



- 1 Main gate
- 2 Storage locker
- 3 Secondary gate
- 4 Aft cockpit table
- 5 Skylight



# EXTERIOR

# MERRY FISHER 1295


L-shaped cockpit with sliding rear bench, allows :

- Lift up the engines
- Keep the seats
- Easy access to the engines

Secondary gate



Gate :  
Easy access



**Option:** Wood cockpit table - convertible into sunbed

# EXTERIOR

MERRY FISHER  
1295

Front cockpit in « vis-à-vis »



Front cockpit in « vis-à-vis »



Front sunbed



XXL front sunbed with filler cushions


## GALLEY FACING THE COCKPIT / FACING THE SALOON

- 1** Lacquered storage
- 2** Folding bar
- 3** Microwave oven (optional)
- 4** Ceramic hob (option to replace gas)
- 5** Sink



## GALLEY FACING THE COCKPIT / FACING THE SALOON

- 1 2-drawer fridge 130L  
or optional:  
2-drawer fridge/freezer 144L
- 2 Lacquered storage
- 3 Air conditioning  
(optional in lieu of standard storage)
- 4 Pocket folder



GALLEY FACING THE COCKPIT / FACING THE SALOON



Large storage compartment under the floor of the galley

# INTERIOR

## VERY COMFORTABLE SALOON

- 1 Very large saloon
- 2 New table with telescopic table leg
- 3 Seating in corners
- 4 220v and USB plugs
- 5 Armrests and new backrest design

MERRY FISHER  
1295



Photos of the saloon from hull 88

# INTERIOR


## VERY COMFORTABLE SALOON

- 1 **Option** : Saloon convertible into a bed
- 2 **Option** : Complete TV prefit (Saloon + front cabin)
- 3 **Option** : Pilot swivel benchseat

MERRY FISHER  
1295




- 1 Spacious owner's cabin with private access to the head
- 2 Large en-suite head with shower and separate toilet
- 3 2nd separate cabin with 2 single beds
- 4 3rd separate cabin with 2 single beds
- 5 2nd head with shower and separate toilet



## Owner's head

- 1 Separate shower
- 2 Separate toilet
- 3 Storage




## 2nd guest head

- 1 Separate shower
- 2 Separate WC
- 3 Storage



## LARGE OWNER'S CABIN

- 1 Opening deck panel and Skylight
- 2 Large hull windows
- 3 Lacquered storage
- 4 Large storage under the bed



## LARGE OWNER'S CABIN

- 1 Wardrobes
- 2 Air conditioning (optional in lieu of standard storage)




## 2<sup>nd</sup> GUEST CABIN

- 1 Hull window with opening porthole
- 2 Single beds
- 3 Large wardrobe
- 4 Seating



## 3rd GUEST CABIN

- 1 Hull window with opening porthole
- 2 Single beds
- 3 Large wardrobe
- 4 Seating



# ENCLOSURE AND SUN AWNINGS OPTIONS

MERRY FISHER  
1295

MERRY FISHER  
1295 FLY



Flybridge bimini



Front cockpit sunshade on poles




Cockpit sun awning

Aft cockpit enclosure

EXTERIOR

UPHOLSTERY

STANDARD




DIAMANTE MOONLIGHT  
SPRADLING HITCH ICEBERG  
DIAMANTE CARBON

AWNINGS



SUNBRELLA  
GRAPHITE

SUNSHADE



SOLTIS 92

INTERIOR

FABRIC INTERIOR

STANDARD



JUMBO PURE

FABRIC INTERIOR

OPTION



TANNERY SUGAR

WOOD



NOYER GRISÉ /  
PLANCHER FORTEZZA

### ELECTRONIC PACK

FLY

GPSMAP 1223xsv

Chartplotter/Sonar combo with 12" touchscreen display.



WHEEL HOUSE

GPSMAP 1223xsv

Chartplotter/Sonar combo with 12" touchscreen display.



Garmin GT15M-IH  
Mid-Band CHIRP Traditional  
Depth and Temperature




### ELECTRONIC PACK UPGRADED

FLY  
GPSMAP 1223xsv  
Chartplotter/Sonar combo with 12" touchscreen display.



WHEEL HOUSE  
GPSMAP 1223xsv  
Chartplotter/Sonar combo with 12" touchscreen display.



Garmin GT15M-IH  
Mid-Band CHIRP Traditional  
Depth and Temperature



**OPTION**  
SOLID-STATE DOME RADAR WITH 50W OF TRANSMIT POWER

Fantom 18x  
18" antenna, 50 W solid-state, dome radar  
with MotionScope Technology



**OPTION**  
REAR CAMERA

GC 200 IP  
Monitoring camera



**OPTION**  
BLACK-BOX VHF RADIO  
(AVAILABLE IN BOTH US/CANADA & INTERNATIONAL STANDARDS)

VHF 315i  
Black-box VHF radio (1W / 25W)  
with GHS11i handset microphone


GHS 11i  
Additional VHF handset  
at the flybridge



## ELECTRONIC PACK

### GPSMAP 1223xsv

Chartplotter/Sonar combo with 12" touchscreen display.



Garmin GT15M-IH  
Mid-Band CHIRP Traditional  
Depth and Temperature



## ELECTRONIC PACK UPGRADED

FLY  
2x GPSMAP 1223/1223xsv  
Chartplotter/Sonar combo with 12" touchscreen display.



Garmin GT15M-IH  
Mid-Band CHIRP Traditional  
Depth and Temperature



**OPTION**  
SOLID-STATE DOME RADAR WITH 50W OF TRANSMIT POWER

Fantom 18x  
18" antenna, 50 W solid-state, dome radar  
with MotionScope Technology



**OPTION**  
REAR CAMERA

GC 200 IP  
Monitoring camera



**OPTION**  
BLACK-BOX VHF RADIO  
(AVAILABLE IN BOTH US/CANADA & INTERNATIONAL STANDARDS)

VHF 315i  
Black-box VHF radio (1W / 25W)  
with GHS1i handset microphone



**OPTION**  
AIS TRANSCEIVER (CLASS B/S0)



AIS 800  
AIS TRansceiver (Class B/S0)

## Merry Fisher 1295 Fly & Coupe !



### Yamaha 300 USB2 SBW

#### Caractéristique / Specifications:

3 moteurs hors Bord / Out Board engines: 300SBW

Hélice / Propeller: SALTWATER T15

Capacité de carburant 1200 l

Déplacement total du bateau / Total displacement of boat tested: 12423 Kg

Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au radar / Average speed on the radar in knots	Consommation moteur en litres par heure / consumption engine in liter an hour	Rendement / Efficiency (L/NM = Liter per Nautical Mile)	Consommation totale en USGal / heure Total consumption in USGal/h	Rendement / Efficiency (USGal/NM)	Autonomie en NM (avec réserve 20%) / Range in NM (with 20% fuel supply)	Trim
500	2,6 Nds	7,1 l/h	2,78L/NM	1,9 USGal/h	,74 USGal/NM	345 NM	
1000	4,3 Nds	15,0 l/h	3,53L/NM	4,0 USGal/h	,93 USGal/NM	272 NM	
1500	6,5 Nds	23,6 l/h	3,63L/NM	6,2 USGal/h	,96 USGal/NM	264 NM	
2000	8,2 Nds	38,7 l/h	4,72L/NM	10,2 USGal/h	1,25 USGal/NM	203 NM	
2500	9,3 Nds	56,3 l/h	6,05L/NM	14,9 USGal/h	1,60 USGal/NM	159 NM	
3000	10,2 Nds	70,1 l/h	6,91L/NM	18,5 USGal/h	1,82 USGal/NM	139 NM	
3500	11,5 Nds	97,5 l/h	8,48L/NM	25,8 USGal/h	2,24 USGal/NM	113 NM	
4000	15,8 Nds	133,5 l/h	8,45L/NM	35,3 USGal/h	2,23 USGal/NM	114 NM	
4500	25,0 Nds	171,8 l/h	6,87L/NM	45,4 USGal/h	1,82 USGal/NM	140 NM	
5000	29,9 Nds	212,0 l/h	7,09L/NM	56,0 USGal/h	1,87 USGal/NM	135 NM	
5500	33,4 Nds	281,5 l/h	8,43L/NM	74,4 USGal/h	2,23 USGal/NM	114 NM	25%
5900	35,6 Nds	295,0 l/h	8,30L/NM	77,9 USGal/h	2,19 USGal/NM	116 NM	50%

Conditions optimales théoriques et purement indicatives des essais: /Optimal theoretical conditions, purely indicative for trials :

Coque neuve, vent 15nds, mer légèrement agitée, antifouling / new hull, wind 12 knots, Slightly rough sea, antifouling

## Engines shaft length

Modèle	Motorisation	Moteur / Engine	Pied d'embase / Shaft length	Longueur en mm / Length in mm	Longueur en pouces / Length in inches	YAMAHA	MERCURY	SUZUKI
Merry Fisher 1295 Coupe & Fly	tri-moteur / triple	Babord / <i>Port side</i>	EXTRA LONG	635	25"	TX	XL	X
		Central / <i>Center</i>	ULTRA LONG	762	30"	TU	XXL	XX
		Tribord / <i>Starboard</i>	EXTRA LONG	635	25"	TX	XL	X

## Anchoring & mooring

Bateaux / Boats	MOUILLAGE / ANCHORING						AMARRE / MOORING		PARE-BATTAGES / FENDERS		
	Code / Ref	Ancre / Anchor		Chaîne / Chain		Câblot / Line		Code / Ref	Désignation / Détail	Code / Ref	Désignation / Détail
Merry Fisher 1295 Coupe & Fly	162305	16 kg	Plate / Flat	10 mm	28m	40m	18mm	043145	4 x D16 L12000	189033	6 x 700 x D.250

## CE certification

MODELES MODELS	ATTESTATION N° / CERTIFICATE N°	LONGUEUR COQUE* / HULL LENGTH*	LARGEUR COQUE* / HULL BEAM*	CHARGE MAX / MAX LOAD	CATEGORIE / CATEGORY	PERSONNES / PERSONS	PUISSANCE / MAXI POWER		MASSE MAXI MOTEUR / MAX ENGINE WEIGHT
		Mètres / Meters	Mètres / Meters	Kg			Kw	CV / HP	Kg
<b>Merry Fisher 1295 Fly</b>	<b>FR-SPB-XT00</b>	<b>11,92</b>	<b>3,78</b>	<b>4698</b>	<b>B - C</b>	<b>10 - 12</b>	<b>3 x 220</b>	<b>3 x 300</b>	<b>3 x 990</b>
<b>Merry Fisher 1295 Coupe</b>	<b>En cours / In progress</b>			<b>xxx</b>	<b>B - C</b>	<b>11 - 12</b>			

Pour les homologations en cours, toutes les informations doivent être considérées comme provisoires.

Les catégories et nombre de personnes indiqués correspondent à la demande faite par le chantier, pas à une confirmation.

*When the EC regulation is in progress, please consider all information as provisional.*

*The categories and number of persons written are requested by the Jeanneau Yard, not confirmed.*

\* Indiqué sur la DEC (Déclaration Ecrite de Conformité)

\* *Written on the WSC (Written Statement of Compliance)*

ND: Non Disponible / No Data

# TECHNICAL INFORMATION

# MERRY FISHER 1295 FLY

Air draft / Bridge clearance (in millimeters)



# TECHNICAL INFORMATION

## Batteries

### Information on batteries for outboard models Information sur les batteries des modèles hors-bord

Reminder: since 2016 season, batteries are NO MORE delivered with outboard boats (engine batterie(s), fridge battery, bow thruster battery). Dealers have to order batteries by themself and to add their prices in boat quotation.

Except for batteries, all other components (wiring, connectors, ...) are still delivered according to current rules, i.e in standard, in pre-riggings or in option. Hereunder you will find infos and specifications of the recommended batteries.

Rappel: depuis la saison 2016, les batteries NE SONT PLUS LIVREES avec les bateaux hors-bord (batterie(s) moteur, batterie pour frigo, batterie de propulseur). Les concessionnaires doivent commander eux-mêmes les batteries et inclure leur prix dans les devis clients.

En dehors des batteries, les autres composants (câblage, connecteurs, ...) continuent d'être livrés selon les inventaires actuels c'est-à-dire en standard, dans les pré-riggings ou en option selon les cas. Ci-dessous sont indiquées les caractéristiques des batteries recommandées.

	MF605 Série 2	MF695 Série 2	MF695 Sport Série 2	MF795 Série 2	MF795 Sport Série 2	MF895	MF 895 Sport	MF1095 MF1095 Fly	MF 1295 Fly
Engine 1 / Moteur 1	Type 2	Type 2	Type 2	Type 2	Type 2	Type 3	Type 3	Type 2	Type 6
Engine 3 / Moteur 3									Type 6
Engine 2 / Moteur 2	-	-	-	-	-	Type 3		Type 2	Type 6
Fridge / Réfrigérateur / Service	Type 2	Type 2	Type 2	Type 2	Type 2	Type 3	Type 3	Type 2 Type 2 (qty = 2 batteries)	Type 6 Type 6 Type 6 (qty = 3 batteries)
Genset option / Option générateur	-	-	-	-	-	Type 4	Type 4	Type 4	Type 4
Bow thruster option / Option propulseur	-	Type 4	Type 4	Type 4	Type 4	Type 4	Type 4	Type 4 (qty = 2 batteries)	Type 4 (qty = 2 batteries)
Seakeeper option / Option Seakeeper	-	-	-	-	-	-	-	-	Type 6
Climatisation sur batteries / Air conditioning on batteries	-	-	-	Type 7 Type 7 Type 7 (qty=3 batteries)	-	-	-	-	-

	Type 2	Type 3	Type 4	Type 6	Type 7
Description	95 AH DUAL AGM (starting + service)	140 AH DUAL AGM (starting + service)	50 AH dry-fit starting battery with low internal resistance (2,2 mOhm)	100 AH AGM starting battery	90 AH Lithium ion (Lithium fer Phosphate)
Voltage (V)	12 V	12 V	12 V	12 V	12 V
Capacity / Capacité (Ah)	95   20 h	140   20 h	50   20 h	100   20 h	90   20 h
Cranking / Intensité au démarrage (A)	850 CEN	750	750	870	
Endurance	360 cycles @ 50%	300 cycles @ 75%	500 cycles @ 75%		> 5000 cycles
Length / Longueur (mm)	353	513	260	330	353
Width / Largeur (mm)	175	189	173	173	175
Height / Hauteur (mm)	190	223	206	240	190
Weight / Poids					13 kg
Terminal position / Position des cosses					
Example / Exemple	Exide Technologie EP800	Exide Technologie EP1200	Exide Technologie EP450	Exide Technologie EM960 (prev. EM1100)	SUPER B Epsilon
Indicative public price / Prix public indicatif (€ ex. VAT)	150 €	350 €	190 €	270 €	1 665 €



# M E R R Y F I S H E R 1 2 9 5

This is not a contractual document. This document was updated in  
October 2025.

It may contain illustrations or text representing or referring to optional  
equipment. If changes appear on the next model year, with regard to  
equipment or options referred to in this document, only the current  
Jeanneau rate will apply.



J E A N N E A U